

I N D I V I C A


Allergies

The allergies module in the E-Chart allows you to keep track of a patient's drug allergies as well as other allergies (e.g. food, environmental, etc.).

Access a patient's allergies by clicking on the proper header on his/her E-Chart.



I. Adding a Drug Allergy



1. Type in the name of a drug and click Search.
Note: Partial queries will still return results (i.e. "penicil" will return "penicillin" results).
Note: Use the checkboxes to choose which drug categories to include.
2. A list of drugs will appear that match your query. Picking the most generic drug will allow OSCAR to detect as many drug interactions as possible for this patient.



INDIVICA

Allergy Search Results

ATC Class

[BENZATHINE BENZYL PENICILLIN](#)
[BENZATHINE PHENOXYMETHYLPENICILLIN](#)
[BENZYL PENICILLIN](#)
[BETA-LACTAMASE RESISTANT PENICILLINS](#)
[PENICILLINS, COMBINATIONS WITH OTHER ANTI](#)
[PHENOXYMETHYLPENICILLIN](#)
[PROCAINE PENICILLIN](#)
[PROCAINE PENICILLIN](#)

AHFS Class

[AMINOPENICILLINS](#)
[EXTENDED-SPECTRUM PENICILLINS](#)
[NATURAL PENICILLINS](#)
[PENICILLINASE-RESISTANT PENICILLINS](#)
[PENICILLINS](#)

Brand Name

3. Fill in the reaction information.
Note: "Start Date" and "Age of Onset" are not required.

PENICILLINS

Severe rashes, aggressive hives.

Start Date: (yyyy-mm-dd OR yyyy-mm OR yyyy)

Age Of Onset:

Severity Of Reaction :

Onset Of Reaction:

4. Click Add Allergy. The drug will now appear on their allergy profile.
Note: Severity of allergies is colour-coded. See the Legend above the profile.

Edit Allergy Profile | View: Active [All](#) [Inactive](#)

Legend: Mild Moderate Severe

Status	Entry Date	Description	Allergy Type	Severity	Onset of Reaction	Reaction	Start Date	Action
Active	2012-08-13	PENICILLINS	AHFS Class	Severe	Immediate	Severe rashes, aggressive hives.		<input type="button" value="Inactivate"/>



I N D I V I C A

II. Adding a Custom Allergy

Custom allergies are used to track allergies that are not necessarily drugs (i.e. food, environmental, etc.).

1. Type in the name of the allergy in the Search box.



Add an Allergy


Search:

Pineapples

Search Reset Custom Allergy

2. Click Custom Allergy.
3. Fill out the reaction information. See *Section I. Adding a Drug Allergy*, step 3.

III. Editing Existing Allergies



Edit Allergy Profile | View: Active **All** **Inactive**

Legend: Mild Moderate Severe

Status	Entry Date	Description	Allergy Type	Severity	Onset of Reaction	Reaction	Start Date	Action
Active	2012-08-13	PENICILLINS	AHFS Class	Severe	Immediate	Severe rashes, aggressive hives.		 Inactivate

1. Click on “Inactivate” to remove an allergy. To view those allergies, click “Inactive” or “All”.
2. Click on the notepad icon to add an annotation. The next time the icon is clicked, the annotation will appear.

